

PRODUCT CATALOGUE

**KENDA**<sup>®</sup>  
DENTAL POLISHERS



The choice of dental professionals worldwide.





For the online catalogue in English  
<http://knd.li/eng>



Zum Online-Katalog in deutscher Sprache  
<http://knd.li/ger>



Ir al catálogo en línea en español  
<http://knd.li/esp>



catalogue en ligne en français  
<http://knd.li/fre>


































**к онлайн-каталогу на русском языке**  
<http://knd.li/rus>


















# TABLE OF CONTENTS

## CLINICAL RA – MULTI-USEABLE STEEL SHANK

Product	Application for	1 <sup>st</sup> step	2 <sup>nd</sup> step	3 <sup>rd</sup> step	page
KENDA MAXIMUS	Composite Nanofill, Microhybrid, Microfill				6
KENDA NOBILIS	Composite and Ceramic				7
KENDA UNICUS	Composite and Ceramic final polishers				8
KENDA HYBRID	Composite Hybrid				9
KENDA DELUXE	Composite and Compomer				10
KENDA COMPOSITE MICROFILL	Composite Microfill				11
KENDA COMPLETE	Composite, Compomer, Amalgam and Gold				12
KENDA C.G.I.	Composite, Compomer and Glass-Ionomer				13
KENDA ZIRCOVIS	Zirconia and Alumina Ceramic				14
KENDA ALL CERAMIC	All Ceramic and Zirconia				15
KENDA DIAGUM	Ceramic				16
KENDA PROPHY	Prophylaxis				17
KENDA PLANUS	Acrylic Dentures				18
KENDA AMALGAM	Amalgam				19
KENDA PRECIOUS METALS	Metals				20


## CLINICAL RA – DISPOSABLE PLASTIC SHANK

Product	Application for	1 <sup>st</sup> step	2 <sup>nd</sup> step	3 <sup>rd</sup> step	page
KENDA NOBILIS	Composite and Ceramic				21
KENDA UNICUS	Composite and Ceramic final polishers				22
KENDA HYBRID	Composite Hybrid				23
KENDA G.P.S.	Composite and Compomer				24
KENDA BIG JOB	All Composites				25
KENDA COMPOSITE MICROFILL	Composite Microfill				26
KENDA C.G.I.	Composite, Compomer and Glass-Ionomer				27
KENDA PROPHY	Prophylaxis				28




























## CLINICAL FG – MULTI-USEABLE STEEL SHANK

Product	Application for	page
KENDA FG Series	All materials	29






## ACCESSORIES

Product	Application for	page
KENDA PRACTICUS	Autoclavable polisher and bur caddy	30
KENDA ESTHETIC SET	Composite and ceramic diamond finishing and polishing set with KENDA PRACTICUS 	30

## LABORATORY HP





Product	Application for	1 <sup>st</sup> step	2 <sup>nd</sup> step	3 <sup>rd</sup> step	4 <sup>th</sup> step	page
KENDA Z-SERIES	Zirconia and pressed ceramic					31
KENDA HIGH END	All ceramic					32
KENDA QUEEN	Acrylic denture					33
KENDA ACRYLIC BLUE	Acrylic denture					34
KENDA BESTFLEX	Flexible denture					35
KENDA RED	Flexible denture					36
KENDA YELLOW LINE	Acrylic denture finishing set					37
KENDA GRASS-GREEN	Metal, acrylic					38
KENDA PRECIOUS METALS	Metal					39
KENDA DIAGUM	Ceramic					40
KENDA HYBRID	Composite Hybrid					41
KENDA UNIVERSAL	Precious Alloys					42

## LABORATORY UNMOUNTED AND PASTE

Product	Application for	1 <sup>st</sup> step	2 <sup>nd</sup> step	page
KENDA UNIVERSAL & GOLD	Metal			43
KENDA CERAMIC & TITANIUM	Ceramic and Titanium			44
KENDA 244-BLUE	Universal high-shine polishing paste			45

## INFORMATION

LABEL	46
INSTRUCTIONS FOR USE AND HYGIENE INSTRUCTIONS	47
WHY KENDA?	48
SYMBOLS	50

-  Polisher for smoothing and finishing
-  Polisher for finishing and silky shine
-  Hi-shine polisher for ultimate gloss
-  Diamond-filled polisher

COMPOSITE POLISHER FOR NANOFILLS, MICROHYBRIDS AND MICROFILLS

**KENDA MAXIMUS** 

1-step diamond polishing system for smoothing and high gloss


The one step polishing technology maximises the more awkward two and three step process. Speed and contact pressure dictate the workings of KENDA MAXIMUS Polisher. By increasing the contact pressure and speed you smooth your composites and by decreasing the speed and pressure you create a high deep glossy shine. This one step process doesn't only give you the perfect finish but also saves you and your patient time.






Set REF 0380



«This polisher has tested to give a significant better shine and finer surface.»



<b>REF</b> reorder	0384	0385	0386	0388	0389	0390
<b>ISO</b> 828 204...	030 493 050	030 493 060	243 493 030	243 493 050	303 493 100	030 493 090
<b>Size</b> Ø×L mm	5×8	6,5×10	3×7	5×10	10×1	9×8,5
<b>μ</b> Grit	ultra-fine					
<b>Color</b>	light beige					
<b>rec.</b>	5 000 - 7 500 RPM					
<b>max.</b>	10 000 RPM					

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE AND CERAMIC POLISHERS


**KENDA NOBILIS** 

1-step diamond polishing system


One polisher only for cost-effective finishing and polishing of composite restorations and ceramics. The flexibility of the diamond polisher allows a gentle to teeth clean finishing and polishing of composite restorations and ceramics. Perfect smooth surfaces will be achieved.

Recommendation:




KENDA UNICUS 1-step diamond polisher for ultimate high shine polishing.



Set REF 0300



<b>REF</b> reorder	0301	0302	0303	0304	0305	0306	0307	0308	0309	0310
<b>ISO</b> 858 204...	243 513 055	254 513 050	304 513 100	030 513 050	030 513 060	243 513 030	237 513 035	243 513 050	303 513 100	030 513 090
<b>Size</b> Ø×L mm	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10	10×1	9×8,5
<b>μ</b> Grit	fine									
<b>Color</b>	violet									
<b>rec.</b>	7 500 - 10 000 RPM									
<b>max.</b>	10 000 RPM									

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE & CERAMIC FINAL POLISHERS

**KENDA UNICUS** 

1-step diamond polishing system


Extra-fine diamond polisher for final polishing of all composites and ceramics. This polisher can be used on composites as well as ceramics without changing the polisher. The benefits are time saving as well as cost saving.

Recommendation:




KENDA NOBILIS 1-step diamond polisher for finishing and polishing.



Set REF 0350



<b>REF</b> reorder	0351	0352	0353	0354	0355	0356	0357	0358	0359	0360
<b>ISO</b> 838 204...	243 503 055	254 503 050	304 503 100	030 503 050	030 503 060	243 503 030	237 503 035	243 503 050	303 503 100	030 503 090
<b>Size</b> Ø×L mm	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10	10×1	9×8,5
<b>μ</b> Grit	extra-fine									
<b>Color</b>	orange									
<b>rec.</b>	5 000 - 7 500 RPM									
<b>max.</b>	10 000 RPM									

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa



COMPOSITE HYBRID POLISHERS

# KENDA HYBRID

## 2-step polishing system

Special hard polishers for all hybrid composites. The long-lasting prepolymer gives smooth surface finish. The high shine diamond polisher achieves a fine surface with a long lasting high shine finish.




DENTAL ADVISOR  
RATING

++++1/2



Set REF 790



<b>REF</b> reorder	0004	0005	0006	0008	0009	0010	0104	0105	0106	0108	0109	0110	
<b>ISO</b> 632 204...	030 524 050	030 524 060	243 524 030	243 524 050	303 524 100	030 524 090	822 204...	030 494 050	030 494 060	243 494 030	243 494 050	303 494 100	030 494 090
<b>Size</b> Ø×L mm	5×8	6,5×10	3×7	5×10	10×1	9×8,5	5×8	6,5×10	3×7	5×10	10×1	9×8,5	
<b>μ</b> Grit	medium						ultra-fine						
<b>Color</b>	whitish grey						pale pink						
<b>rec.</b>	7 500 - 10 000 RPM						5 000 - 7 500 RPM						
<b>max.</b>	10 000 RPM						10 000 RPM						


- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE & COMPOMER POLISHERS


**KENDA DELUXE** 

2-step diamond polishing system




This autoclavable multiuse 2-step diamond polishing system is for extra fine smoothing and for deluxe high shine finish on all composite and compomer restorations.



Set REF 0400



<b>REF</b> reorder	0406	0409	0411	0413	0456	0459	0461	0463	
<b>ISO</b> 858 204 ...	243 513 030	303 513 100	030 513 060	243 513 040	838 204 ...	243 503 030	303 503 100	030 503 060	243 503 040
<b>Size</b> Ø×L mm	3×7	10×1	6×7,5	4×9	3×7	10×1	6×7,5	4×9	
<b>μ</b> Grit	fine				extra-fine				
<b>Color</b>	light grey				light beige				
<b>rec.</b>	7 500 - 10 000 RPM				5 000 - 7 500 RPM				
<b>max.</b>	10 000 RPM				10 000 RPM				

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE MICROFILL POLISHERS

# KENDA COMPOSITE MICROFILL


## 2-step polishing system

Top selling polisher for all microfilled composite restorations. Achieves an optimal and long lasting high shine.

Also, suited for simply removing cement remnants of orthodontic bands (brackets).



Set REF 750



<b>REF</b> reorder	4001	4002	4003	4004	4005	4006	4007	4008	5001	5002	5003	5004	5005	5006	5007	5008	
<b>ISO</b> 638 204...	243 523 055	254 523 050	304 523 100	030 523 050	030 523 060	243 523 030	237 523 035	243 523 050	638 204...	243 493 055	254 493 050	304 493 100	030 493 050	030 493 060	243 493 030	237 493 035	243 493 050
<b>ISO</b> Size Ø×L mm	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10	
<b>μ</b> Grit	medium								ultra-fine								
<b>Color</b>	yellow								blue								
<b>rec.</b>	7 500 - 10 000 RPM								5 000 - 7 500 RPM								
<b>max.</b>	10 000 RPM								10 000 RPM								

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE, COMPOMER, AMALGAM & GOLD POLISHERS


# KENDA COMPLETE

## 2-step polishing system

Universal polisher for cost effective polishing. For all composite, compomer and amalgam restorations, for gold and dental enamel. The long-lasting prepolymer gives smooth surface finish. The high shine polisher achieves a fine surface with a long lasting high shine finish.



Set REF 0500



<b>REF</b> reorder	0503	0505	0513	0553	0555	0563	
<b>ISO</b> 658 204 ...	304 523 100	030 523 060	243 523 040	658 204 ...	304 513 100	030 513 060	243 513 040
<b>Size</b> Ø×L mm	10×2	6,5×10	4×9	10×2	6,5×10	4×9	
<b>μ</b> Grit	medium			fine			
<b>Color</b>	light ruby colored			steel-grey			
<b>rec.</b>	7 500 - 10 000 RPM			5 000 - 7 500 RPM			
<b>max.</b>	10 000 RPM			10 000 RPM			

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE & COMPOMER POLISHERS


# KENDA C.G.I.

## 3-step polishing system

For universal composites, compomers and glass-ionomers. The C.G.I. polishing system contains specific polishers in 3 grades for contouring, finishing and polishing.



Set REF 900



REF	reorder	905-C	908-C	909-C	910-C	905-M	908-M	909-M	910-M	905-F	908-F	909-F	910-F		
ISO	638 204 ...	030 533 060	243 533 050	303 533 100	030 533 090	638 204 ...	030 523 060	243 523 050	303 523 100	030 523 090	638 204 ...	030 493 060	243 493 050	303 493 100	030 493 090
ISO	Size Ø×L mm	6,5×10	5×10	10×1	9×8,5	6,5×10	5×10	10×1	9×8,5	6,5×10	5×10	10×1	9×8,5		
μ	Grit	coarse				medium				ultra-fine					
Color	Color	whitish white				green				pink					
rec.	rec.	7 500 - 10 000 RPM				3 000 - 7 500 RPM				3 000 - 7 500 RPM					
max.	max.	10 000 RPM				10 000 RPM				10 000 RPM					

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

ZIRCONIA AND ALUMINA CERAMIC POLISHERS


**KENDA ZIRCOVIS** 

2-step diamond polishing system




Hard, robust diamond polisher, ideal for adjustments on zirconia and alumina crowns. KENDA ZIRCOVIS 2-step polishing system smoothes in the first step rough surfaces, in the second step it removes fine scratches and achieves very high gloss surfaces.



Set REF 0250



<b>REF</b> reorder	0255	0256	0258	0265	0266	0268	
<b>ISO</b> 862 204...	030 524 060	243 524 030	243 524 050	852 204...	030 514 060	243 514 030	243 514 050
<b>Size</b> Ø×L mm	6,5×10	3×7	5×10	6,5×10	3×7	5×10	
<b>μ</b> Grit	medium			fine			
<b>Color</b>	dark blue-green			light blue-green			
<b>rec.</b>	7 500 - 10 000 RPM			5 000 - 7 500 RPM			
<b>max.</b>	10 000 RPM			10 000 RPM			

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

ALL CERAMIC & ZIRCONIA IMPLANT COMPONENTS


**KENDA ALL CERAMIC** 

2-step diamond polishing system




The polishers are designed for polishing and high shine polishing on crowns and bridges of all ceramic (pressed ceramic, zirconia, aluminium oxide). Specifically for polishing the margins on zirconia, contact points and for occlusal adjustments.



Set REF 0200



<b>REF</b> reorder	0215	0216	0218	0219	0225	0226	0228	0229	
<b>ISO</b> 868 204 ...	030 523 060	243 523 030	243 523 050	303 523 100	838 204 ...	030 503 060	243 503 030	243 503 050	303 503 100
<b>Size</b> Ø×L mm	6,5×10	3×7	5×10	10×1	6,5×10	3×7	5×10	10×1	
<b>μ</b> Grit	medium				extra-fine				
<b>Color</b>	medium bordeau				light bordeau				
<b>rec.</b>	7 500 - 10 000 RPM				5 000 - 7 500 RPM				
<b>max.</b>	10 000 RPM				10 000 RPM				

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

CERAMIC POLISHERS

# KENDA DIAGUM


## 2-step polishing system

For highest surface quality and long lasting shine.

Fine diamond polisher for brilliant lustre on ceramics.



Set REF 780



<b>REF</b> reorder	6001	6002	6003	6004	6005	6006	6007	6008		X003	X004	X005	X006	X007	X008
<b>ISO</b> 652 204...	243 534 055	254 534 050	304 534 100	030 534 050	030 534 060	243 534 030	237 534 035	243 534 050	822 204...	304 494 100	030 494 050	030 494 060	243 494 030	237 494 035	243 494 050
<b>ISO</b> Size Ø×L mm	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10		10×2	5×8	6,5×10	3×7	3×6	5×10
<b>μ</b> Grit	coarse									ultra-fine					
<b>Color</b>	grey									dark rosa					
<b>rec.</b>	7 500 - 10 000 RPM									5 000 - 7 500 RPM					
<b>max.</b>	10 000 RPM									10 000 RPM					

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa



PROPHYLAXIS POLISHERS

# KENDA PROPHY


## 1-step polishing system






For tooth cleaning without the use of polishing paste.




Medium grit polisher for removal of stains, to be used with gentle pressure.



Set REF 5100



<b>REF</b> reorder	5105	5106	5108	5110
<b>ISO</b> 658 204 ...	030 523 060	243 523 030	243 523 050	030 523 090
 Size Ø×L mm	6,5×10	3×7	5×10	9×8,5
 Grit	medium			
 Color	blue			
 rec.	7 500 - 10 000 RPM			
 max.	10 000 RPM			

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
-  Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

ACRYLIC DENTURE POLISHERS

# KENDA PLANUS

## 2-step smoothing and polishing system

This 2-step autoclavable polisher is designed for chairside smoothing pressure spots and to achieve a perfect surface finish with high gloss, also for work on orthodontic appliances.


Available in RA and HP version.



Set REF 0600



Set REF 6700



<b>REF</b> reorder	0601	0608	0611	0618	6715	6720	6815	6820		
<b>ISO</b> 638 204 ...	243 533 055	243 533 050	638 204 ...	243 513 055	243 513 050	638 104 ...	243 533 100	497 533 070	243 513 100	497 513 070
<b>Size</b> Ø×L mm	5,4×13	5×10	5,4×13	5×10	10×18	10×18	10×18	10×18		
<b>μ</b> Grit	coarse		fine		coarse		fine			
<b>Color</b>	lime-green		grey		lime-green		grey			
<b>rec.</b>	7 500 - 10 000 RPM		5 000 - 7 500 RPM		10 000 - 15 000 RPM		10 000 - 15 000 RPM			
<b>max.</b>	10 000 RPM		10 000 RPM		15 000 RPM		15 000 RPM			

- Box of: 6, 12, 25, 100
- N** Pressure: 0,3 - 2N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

- Box of: 6, 12, 25, 100
- N** Pressure: 0,3 - 2N
- Autoclavable: 135 °C, 275 °F
- Shank: HP, stainless steel
- Medical device: no



AMALGAM POLISHERS

# KENDA AMALGAM


## 2-step polishing system

Long lasting silicone polisher with fine adjustments of integrated polish care for fast and brilliant polishing of amalgam and precious metals.

The prepolisher achieves a smooth surface and the hi-shine polisher a perfect mirror lustre.



Set REF 700



<b>REF</b> reorder	2001	2002	2003	2004	2005	2006	2007	2008	3001	3002	3003	3004	3005	3006	3007	3008	
<b>ISO</b> 658 204 ...	243 523 055	254 523 050	304 523 100	030 523 050	030 523 060	243 523 030	237 523 035	243 523 050	658 204 ...	243 513 055	254 513 050	304 513 100	030 513 050	030 513 060	243 513 030	237 513 035	243 513 050
<b>Size</b> Ø×L mm	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10	5,4×13	5×8	10×2	5×8	6,5×10	3×7	3×6	5×10	
<b>μ</b> Grit	medium								fine								
<b>Color</b>	brown								green								
<b>rec.</b>	7 500 - 10 000 RPM								5 000 - 7 500 RPM								
<b>max.</b>	10 000 RPM								10 000 RPM								

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

METAL POLISHERS

# KENDA PRECIOUS METALS


## 2-step polishing system

For finishing, pre-polishing and high shine. Results in a matter of seconds.

The high shine polisher has microfine diamond particles with self sharpening cutting edges for the highest efficiency on precious metals and titanium alloys.



Set REF 740



<b>REF</b> reorder	1004	1005	1006	1008	1009	1010	1104	1105	1106	1108	1109	1110	
<b>ISO</b> 652 204 ...	030 524 050	030 524 060	243 524 030	243 524 050	303 524 100	030 524 090	832 204 ...	030 504 050	030 504 060	243 504 030	243 504 050	303 504 100	030 504 090
<b>Size</b> Ø×L mm	5×8	6,5×10	3×7	5×10	10×1	9×8,5	5×8	6,5×10	3×7	5×10	10×1	9×8,5	
<b>μ</b> Grit	medium						extra-fine						
<b>Color</b>	black						green						
<b>rec.</b>	7 500 - 10 000 RPM						5 000 - 7 500 RPM						
<b>max.</b>	10 000 RPM						10 000 RPM						

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: RA, stainless steel
- Medical device: class IIa

COMPOSITE AND CERAMIC POLISHERS - SINGLE USE


# DISPOSABLE KENDA NOBILIS

## 1-step diamond polishing system


For single patient use.






One polisher only for cost-effective finishing and polishing of composite restorations and ceramics. The flexibility of the diamond polisher allows a gentle to teeth clean finishing and polishing of composite restorations and ceramics. Perfect smooth surfaces will be achieved.




Disposable polisher saves sterilisation cost and time.



Set REF PS0300



<b>REF</b> reorder	PS0309	PS0311	PS0312
<b>ISO</b> 858 242...	303 513 100	030 513 060	243 513 045
 Size Ø×L mm	10×1	6×7,5	5×10
 Grit	fine		
 Color	violet		
 rec.	5 000 RPM		
 max.	5 000 RPM		

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
-  disposible

COMPOSITE AND CERAMIC FINAL POLISHERS – SINGLE USE

DISPOSABLE KENDA UNICUS 

1-step diamond polishing system

For single patient use.


Extra fine diamond polisher for final polishing of all composites and ceramics. This polisher can be used on composites as well as ceramics without changing the polisher. The benefits are time saving as well as cost saving. Disposable polisher saves sterilisation cost and time.






Recommendation:




Disposable KENDA NOBILIS 1-step diamond polisher for finishing and polishing.



Set REF PS0350



<b>REF</b> reorder	PS0359	PS0361	PS0362
<b>ISO</b> 838 242...	303 503 100	030 503 060	243 503 045
 Size Ø×L mm	10×1	6×7,5	5×10
 Grit	extra-fine		
 Color	orange		
 rec.	5 000 RPM		
 max.	5 000 RPM		

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
-  disposible

COMPOSITE HYBRID POLISHERS – SINGLE USE

# DISPOSABLE KENDA HYBRID


## 2-step polishing system

For single patient use.

Special hard polishers for all hybrid composites. The long-lasting prepolymer gives smooth surface finish. The high shine diamond polisher achieves a fine surface with a long lasting high shine finish. Disposable polisher saves sterilisation cost and time.



Set REF PS790



<b>REF</b> reorder	PS0009	PS0011	PS0012	PS0109	PS0111	PS0112
<b>ISO</b> 638 242...	303 523 100	030 523 060	243 523 045	828 242 ...	303 493 100	030 493 060
<b>ISO</b> Size Ø×L mm	10×1	6×7,5	5×10	10×1	6×7,5	5×10
<b>μ</b> Grit	medium			ultra-fine		
<b>Color</b>	whitish grey			pale pink		
<b>rec.</b>	5 000 RPM			5 000 RPM		
<b>max.</b>	5 000 RPM			5 000 RPM		

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
- disposable

COMPOSITE & COMPOMER POLISHERS – SINGLE USE

DISPOSABLE KENDA G.P.S. 

2-step diamond polishing system


For single patient use.

For all composite and compomer restorations. Prepolisher for smoothing and final polisher for finest surfaces and highest long lasting shine.




Disposable polisher saves sterilisation cost and time.



Set REF PS0400



<b>REF</b> reorder	PS0409	PS0411	PS0412	PS0459	PS0461	PS0462	
<b>ISO</b> 858 242...	303 513 100	030 513 060	243 513 045	838 242 ...	303 503 100	030 503 060	243 503 045
<b>Size</b> Ø×L mm	10×1	6×7,5	5×10	10×1	6×7,5	5×10	
<b>μ</b> Grit	fine			extra-fine			
<b>Color</b>	light green			light beige			
<b>rec.</b>	5 000 RPM			5 000 RPM			
<b>max.</b>	5 000 RPM			5 000 RPM			

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
-  disposable



FINISHING AND POLISHING OF ALL COMPOSITES – SINGLE USE

# DISPOSABLE KENDA BIG JOB

## 1-step polishing system

For single patient use.


This fast working polisher is designed for large job multi restorations. Ideal for fine surface polishing of all composite restorations. Disposable polisher saves sterilisation cost and time.

Recommendation:

For ultimate shine use G.P.S. diamond hi-shine polisher.



Set REF PS4100



<b>REF</b> reorder	PS4109	PS4111	PS4112
<b>ISO</b> 638 242...	303 523 100	030 523 060	243 523 045
<b>Size</b> Ø×L mm	10×1	6×7,5	5×10
<b>μ</b> Grit	medium		
<b>Color</b>	white		
<b>rec.</b>	5 000 RPM		
<b>max.</b>	5 000 RPM		

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
- disposable

COMPOSITE MICROFILL POLISHERS – SINGLE USE

# DISPOSABLE KENDA COMPOSITE MICROFILL


## 2-step polishing system

For single patient use.

Top selling polisher for all microfilled composite restorations. Achieves an optimal and long lasting high shine. Also, suited for simply removing cement remnants of orthodontic bands (brackets). Disposable polisher saves sterilisation cost and time.



Set REF PS750



<b>REF</b> reorder	PS4009	PS4011	PS4012	PS5009	PS5011	PS5012	
<b>ISO</b> 638 242...	303 523 100	030 523 060	243 523 045	638 242 ...	303 493 100	030 493 060	243 493 045
<b>Size</b> Ø×L mm	10×1	6×7,5	5×10	10×1	6×7,5	5×10	
<b>μ</b> Grit	medium			ultra-fine			
<b>Color</b>	yellow			blue			
<b>rec.</b>	5 000 RPM			5 000 RPM			
<b>max.</b>	5 000 RPM			5 000 RPM			

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
- disposable

COMPOSITE & COMPOMER POLISHERS – SINGLE USE

# DISPOSABLE KENDA C.G.I.


## 3-step polishing system

For single patient use.

For universal composites, compomers and glassionomers. The C.G.I. polishing system contains specific polishers in 3 grades for contouring, finishing and polishing. Disposable polisher saves sterilisation cost and time.



Set REF PS900



REF	reorder	PS909-C	PS911-C	PS912-C	PS909-M	PS911-M	PS912-M	PS909-F	PS911-F	PS912-F		
ISO	638 242...	303 533 100	030 533 060	243 533 045	638 242...	303 523 100	030 523 060	243 523 045	638 242...	303 493 100	030 493 060	243 493 045
Size	Ø×L mm	10×1	6×7,5	5×10	10×1	6×7,5	5×10	10×1	6×7,5	5×10		
μ	Grit	coarse			medium			ultra-fine				
	Color	whitish white			green			pink				
	rec.	5 000 RPM			5 000 RPM			3 000 RPM				
	max.	5 000 RPM			5 000 RPM			5 000 RPM				

- Box of: 6, 12, 25, 100
- Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
- disposible

PROPHYLAXIS POLISHERS – SINGLE USE

# DISPOSABLE KENDA PROPHY


## 1-step polishing system






For single patient use.




For tooth cleaning without the use of polishing paste. Medium grit polisher for removal of stains, to be used with gentle pressure. Disposable polisher saves sterilisation cost and time.



Set REF PS5100




<b>REF</b> reorder	PS5109	PS5111	PS5112
<b>ISO</b> 658 242...	303 523 100	030 523 060	243 523 045
 Size Ø×L mm	10×1	6×7,5	5×10
 Grit	medium		
 Color	blue		
 rec.	5 000 RPM		
 max.	5 000 RPM		

-  Box of: 6, 12, 25, 100
-  Blister of: 6×1, 6×2, 72×1, 72×2
- N** Pressure: 0,3 - 1 N
- Shank: RA, medical plastic
- Medical device: class IIa
-  disposable


FRICITION GRIP POLISHING SYSTEMS

# KENDA FG SERIES




2-step polishing system for all composites

<b>REF</b> reorder	4006FG	5006FG
<b>ISO</b> 632 313 ...	243 524 030	632 313 ... 243 494 030
<b>Size</b> Ø×L mm	3×7	3×7
<b>μ</b> Grit	medium	ultra-fine
<b>Color</b>	yellow	blue
<b>rec.</b>	20 000 RPM	10 000 RPM
<b>max.</b>	20 000 RPM	20 000 RPM



2-step diamond polishing system for all composites and ceramics. For very efficient polishing.

<b>REF</b> reorder	0306FG	0386FG
<b>ISO</b> 852 313 ...	243 514 030	822 313 ... 243 494 030
<b>Size</b> Ø×L mm	3×7	3×7
<b>μ</b> Grit	fine	ultra-fine
<b>Color</b>	violet	light beige
<b>rec.</b>	20 000 RPM	10 000 RPM
<b>max.</b>	20 000 RPM	20 000 RPM



2-step polishing system for amalgam and precious metals.

<b>REF</b> reorder	2006FG	3006FG
<b>ISO</b> 652 313 ...	243 524 030	652 313 ... 243 514 030
<b>Size</b> Ø×L mm	3×7	3×7
<b>μ</b> Grit	medium	fine
<b>Color</b>	brown	green
<b>rec.</b>	20 000 RPM	10 000 RPM
<b>max.</b>	20 000 RPM	20 000 RPM

- Box of: 5
- N** Pressure: 0,3 - 2 N
- Autoclavable: 135 °C, 275 °F
- Shank: FG, stainless steel
- Medical device: class IIa

AUTOCLAVABLE POLISHER AND BUR CADDY

## KENDA PRACTICUS

KENDA PRACTICUS offers space for 6 RA polishers of 22-31 mm length and 12 FG diamond instruments of 16 to 24 mm length.

Thanks to well thought out alignment ergonomic handling with only one hand is possible. Due to the snap lock the caddy can be easily closed and content is fixed for sterilisation. The high-tech medical polymer allows up to 3000 sterilisation cycles in the autoclave at 135°C, 275°F.



REF 270



REF 271



REF 272



REF 273




## KENDA ESTHETIC SET

Ideal for time saving polishing and finishing of composite restorations and ceramic inlays.

Content:

- 6 FG diamond instruments of 45 microns
- 6 FG diamond instruments of 15 microns
- 6 RA diamond high shine polishers KENDA UNICUS

total 18 different instruments with 1 KENDA PRACTICUS autoclavable caddy.



REF 283



1251

ZIRCONIA AND PRESSED CERAMIC POLISHERS


**KENDA Z-SERIES** 

3-step diamond polishing system


For best results on high performance ceramic, zirconia and pressed ceramic.



Set REF Z-000



REF	reorder	Z-006-C	Z-014-C	Z-006-M	Z-014-M	Z-006-F	Z-014-F
ISO	872 104 ...	243 534 030	041 534 120	862 104 ...	243 524 030	041 524 100	852 104 ...
	Size Ø×L mm	3×7	12×2	3×7	12×2	3×7	12×2
	Grit	coarse		medium		fine	
	Color	violet		petrol		lime	
	rec.	7 500 - 10 000 RPM		7 500 - 10 000 RPM		5 000 - 7 500 RPM	
	max.	10 000 RPM		10 000 RPM		10 000 RPM	

-  Box of: 3
- N** Pressure: 0,3 - 2 N
- Shank: HP, stainless steel

ALL CERAMIC DIAMOND POLISHERS

**KENDA HIGH END** 


4-step diamond polishing system

The power disc represents a new dimension for the complete treatment on pressed ceramic and zirconia trimming, smoothing, finishing and high shine polishing.


The special geometry of the disc allows better access to the interdental areas. The extra coarse disc is ideal for fast trimming and smoothing of pressed ceramic and zirconia.



Set REF 626



REF	reorder	626-C	626-M	626-F	626-XF
ISO		872 104 303 534 260	862 104 303 524 260	852 104 303 514 260	832 104 303 504 260
ISO	Size Ø×L mm	26×2	26×2	26×2	26×2
μ	Grit	coarse	medium	fine	extra-fine
	Color	violet	pink	green	grey
⌚	rec.	7 500 - 10 000 RPM	7 500 - 10 000 RPM	7 500 - 10 000 RPM	5 000 - 7 500 RPM
⌚	max.	10 000 RPM	10 000 RPM	10 000 RPM	10 000 RPM

-  Box of: 1
- N** Pressure: 0,3 - 2 N
- Shank: HP, stainless steel




ACRYLIC DENTURE POLISHERS

# KENDA QUEEN


## 2-step finishing and polishing system

Green: Ideal for contouring of partial and full dentures as well as orthodontic appliances.

Black: Ideal for fast smoothing and polishing of partial and full dentures as well as orthodontic appliances.



<b>REF</b> reorder	9008	9009	9010	9011	9012	9013	9014	9015	9016
<b>ISO</b> 658 104...	245 533 125	144 533 125	237 533 120	201 533 150	012 533 150	114 533 085	204 533 100	243 533 100	213 533 065
<b>Size</b> Ø×L mm	12,5×22	12,5×15	12×17	15×18	15×18	8,5×18	10×24,5	10×18	6,5×17
<b>μ</b> Grit	coarse								
<b>Color</b>	green								
<b>rec.</b>	10 000 - 15 000 RPM								
<b>max.</b>	15 000 RPM								



<b>REF</b> reorder	7008	7009	7010	7011	7012	7013	7014	7015	7016
<b>ISO</b> 658 104...	245 523 125	144 523 125	237 523 120	201 523 150	012 523 150	114 523 085	204 523 100	243 523 100	213 523 065
<b>Size</b> Ø×L mm	12,5×22	12,5×15	12×17	15×18	15×18	8,5×18	10×24,5	10×18	6,5×17
<b>μ</b> Grit	medium								
<b>Color</b>	black								
<b>rec.</b>	10 000 - 15 000 RPM								
<b>max.</b>	15 000 RPM								


- Box of:** 6, 12, 25, 100
- N** **Pressure:** 0,3 - 2 N
- Shank:** HP, stainless steel

DENTURE POLISHERS


# KENDA ACRYLIC BLUE

## 3-step polishing system

- Blue: ideal for fast trimming of acrylics
- Light blue: ideal for fast smoothing of acrylics
- Ochre: ideal for a high gloss finish



<b>REF</b> reorder	8308	8311	8314	8315	8408	8411	8414	8415	
<b>ISO</b> 638 104 ...	245 543 125	201 543 150	204 543 100	243 543 100	638 104 ...	245 523 125	201 523 150	204 523 100	243 523 100
<b>Size</b> Ø×L mm	12,5×22	15×18	10×24,5	10×18	12,5×22	15×18	10×24,5	10×18	
<b>μ</b> Grit	very coarse				medium				
<b>Color</b>	blue				light blue				
<b>rec.</b>	10 000 - 15 000 RPM				10 000 - 15 000 RPM				
<b>max.</b>	15 000 RPM				15 000 RPM				



<b>REF</b> reorder	8508	8511	8514	8515
<b>ISO</b> 638 104 ...	245 503 125	201 503 150	204 503 100	243 503 100
<b>Size</b> Ø×L mm	12,5×22	15×18	10×24,5	10×18
<b>μ</b> Grit	extra-fine			
<b>Color</b>	ochre			
<b>rec.</b>	5 000 - 10 000 RPM			
<b>max.</b>	15 000 RPM			

- Box of:** 6, 12, 25, 100
- N Pressure:** 0,3 - 2 N
- Shank:** HP, stainless steel

POLISHERS FOR FLEXIBLE DENTURES

# KENDA BESTFLEX

## 1-step polishing system


For polishing of all nylon based flexible dentures.

Recommendation:

For high shine use KENDA 244-BLUE polishing paste and SLIMLINE brush.



Set REF 6500



<b>REF</b> reorder	6508	6514	6516
<b>ISO</b> 658 104 ...	245 533 125	204 533 100	213 533 065
<b>Size</b> Ø×L mm	12,5×22	10×24,5	6,5×17
<b>μ</b> Grit	coarse		
<b>Color</b>	white grey		
<b>rec.</b>	10 000 - 15 000 RPM		
<b>max.</b>	15 000 RPM		
<b>Box of:</b>	6, 12, 25, 100		
<b>N</b> Pressure:	0,3 - 2 N		
<b>Shank:</b>	HP, stainless steel		

POLISHERS FOR FLEXIBLE DENTURES

# KENDA RED

## 1-step polishing system


For adjusting and polishing dentures and flexible partials on chrome cobalt alloys without damaging the alloy, mounted and unmounted.

Recommendation:

For high shine use KENDA 244-BLUE polishing paste and SLIMLINE brush.



REF RED14.006



REF	reorder	RED 8	RED 14	10008	10014	301-L
ISO	658 104 ...	245 523 125	204 523 100	658 900 ...	245 523 125	204 523 100
Size	Ø × L mm	12,5 × 22	10 × 24,5	12,5 × 22	10 × 24,5	5 × 13
μ	Grit	medium		medium		
	Color	red		red		
⌚	rec.	10 000 - 15 000 RPM		10 000 RPM		
⌚	max.	15 000 RPM		15 000 RPM		

Box of: 6, 12, 25, 100  
 Pressure: 0,3 - 2 N  
 Shank: HP, stainless steel

ACRYLIC DENTURE FINISHING SET

# KENDA YELLOW LINE


Y-014: ideal for eliminating pressure spots fast and efficient.

Y-018: the rounded edges of the instrument make it possible to smooth without grooves, welts and crusts.

Y-019: super flexible brush – disc for the cleaning and polishing of the interdental areas.



Set REF Y-000



<b>REF</b> reorder	Y-018	Y-014	Y-019
<b>ISO</b> 638 104 ...	056 523 150	204 523 100	543 523 190
<b>Size</b> Ø×L mm	15×10	10×24,5	19×0,5
<b>μ</b> Grit	medium		
<b>Color</b>	yellow		
<b>rec.</b>	7 500 - 10 000 RPM		
<b>max.</b>	10 000 RPM		
<b>Box of:</b>	3		
<b>N</b> Pressure:	0,3 - 2 N		
Shank:	HP, stainless steel		

METAL POLISHERS

# KENDA GRASS-GREEN

1-step polishing system

ideal for smoothing and polishing of metals and acrylics.



REF 11014.006



REF	reorder	11008	11011	11014	11017
ISO	638 104 ...	245 513 125	201 513 150	204 513 100	114 513 125
Size	Ø × L mm	12,5 × 22	15 × 18	10 × 24,5	12,5 × 16,5
μ	Grit	fine			
	Color	grass-green			
rec.		10 000 - 15 000 RPM			
max.		15 000 RPM			
Box of:		6, 12, 25, 100			
N	Pressure:	0,3 - 2 N			
	Shank:	HP, stainless steel			

METAL POLISHERS


# KENDA PRECIOUS UNIVERSAL METALS, HP

## 2-step polishing system

2-step polishing system for all alloys of precious and semiprecious metals, CrCo and titanium alloys, HP. Black pre-polisher for smoothing and the green diamond polisher for highest gloss.



Set REF 741



REF	reorder	1006HP	1008HP	1014HP		1106HP	1108HP	1114HP
ISO	652 104 ...	243 524 030	243 524 050	041 524 120	832 104 ...	243 504 030	243 504 050	041 504 120
ISO	Size Ø×L mm	3×7	5×10	12×2		3×7	5×10	12×2
μ	Grit	medium				extra-fine		
Color		black				green		
rec.		7 500 - 10 000 RPM				5 000 - 7 500 RPM		
max.		10 000 RPM				10 000 RPM		

Box of: 6, 12, 25, 100  
**N** Pressure: 0,3 - 2 N  
 Shank: HP, stainless steel

CERAMIC POLISHERS

# KENDA DIAGUM, HP


## 2-step polishing system

2-step polishing system for all types of ceramic.

Grey pre-polisher for contouring and smoothing. Dark rosa hi-shine polisher to achieve rapidly a high lustre and natural aesthetics due to its content of ultra-fine diamonds.



Set REF 78 1



REF	reorder	6106HP	6108HP	6110HP	6114HP	X006HP	X008HP	X010HP	X014HP	
ISO	652 104 ...	243 534 030	243 534 050	041 534 120	041 534 120	822 104 ...	243 494 030	243 494 050	041 494 120	041 494 120
ISO	Size Ø×L mm	3×7	5×10	12×2,5	12×2	3×7	5×10	12×2,5	12×2	
μ	Grit	coarse				ultra fine				
Color		grey				dark rosa				
rec.		7 500 - 10 000 RPM				5 000 - 7 500 RPM				
max.		10 000 RPM				10 000 RPM				

Box of: 6, 12, 25, 100  
**N** Pressure: 0,3 - 2 N  
 Shank: HP, stainless steel



COMPOSITE HYBRID POLISHERS

# KENDA HYBRID, HP


## 2-step polishing system

2-step polishing system for all composite materials.

Whitish grey pre-polisher for contouring and smoothing, pale pink diamond polisher for high gloss on composites.



Set REF 791



REF	reorder	0006HP	0008HP	0014HP	0106HP	0108HP	0114HP	
ISO	632 104 ...	243 524 030	243 524 050	041 524 120	822 104 ...	243 494 030	243 494 050	041 494 120
ISO	Size Ø×L mm	3×7	5×10	12×2	3×7	5×10	12×2	
μ	Grit	medium			ultra-fine			
Color		whitish grey			pale pink			
rec.		7 500 - 10 000 RPM			5 000 - 7 500 RPM			
max.		10 000 RPM			10 000 RPM			


- Box of: 6, 12, 25, 100
- N** Pressure: 0,3 - 2 N
- Shank: HP, stainless steel

PRECIOUS ALLOYS


# KENDA UNIVERSAL, HP

## 2-step polishing system

Ideal for polishing gold and semi precious alloys and composites.  
Brown prepolishing, green high-shine polishing.



<b>REF</b> reorder	2106HP	2109HP	2110HP	2111HP	2112HP	2114HP
<b>ISO</b> 652 104 ...	243 524 030	303 524 120	041 524 120	243 524 055	292 524 050	041 524 120
<b>Size</b> Ø×L mm	3×7	12×3	12×2,5	5,5×13	5×16	12×2
<b>μ</b> Grit	medium					
<b>Color</b>	brown					
<b>rec.</b>	10 000 - 15 000 RPM					
<b>max.</b>	15 000 RPM					




<b>REF</b> reorder	3106HP	3109HP	3110HP	3111HP	3112HP	3114HP
<b>ISO</b> 652 104 ...	243 514 030	303 514 120	041 514 120	243 514 055	292 514 050	041 514 120
<b>Size</b> Ø×L mm	3×7	12×3	12×2,5	5,5×13	5×16	12×2
<b>μ</b> Grit	fine					
<b>Color</b>	green					
<b>rec.</b>	10 000 RPM					
<b>max.</b>	15 000 RPM					

**Box of:** 6, 12, 25, 100  
**N Pressure:** 0,3 - 2 N  
**Shank:** HP, stainless steel

METAL POLISHERS UNMOUNTED


# KENDA WHEEL & KNIFE

Universal polisher, for polishing all alloys and acrylic dentures.




<b>REF</b> reorder	1522-R	1517-R	1522-L
<b>ISO</b> 658 900 ...	372 523 220	372 523 170	303 523 220
Size Ø×L mm	22×3	17×3	22×3
Grit	medium		
Color	black		
rec.	20 000 RPM		
max.	20 000 RPM		

Gold Prepolisher, for gold and semi precious alloys.



<b>REF</b> reorder	2522-R	2517-R	2522-L
<b>ISO</b> 658 900 ...	372 513 220	372 513 170	303 513 220
Size Ø×L mm	22×3	17×3	22×3
Grit	fine		
Color	brown		
rec.	20 000 RPM		
max.	20 000 RPM		

Gold Hi-shine Polisher, for hi-shine on gold and semi precious alloys.




<b>REF</b> reorder	3522-R	3517-R	3522-L
<b>ISO</b> 658 900 ...	372 503 220	372 503 170	303 503 220
Size Ø×L mm	22×3	17×3	22×3
Grit	extra-fine		
Color	green		
rec.	10 000 RPM		
max.	20 000 RPM		

Box of: 10, 100  
**N** Pressure: 0,3 - 2 N

CERAMIC / TITANIUM POLISHERS UNMOUNTED


# KENDA WHEEL & KNIFE

Ceramic Prepolisher, smooths the surface.




<b>REF</b> reorder	6522-R	6517-R	6522-L
<b>ISO</b> 658 900 ...	372 533 220	372 533 170	303 533 220
Size Ø×L mm	22×3	17×3	22×3
Grit	coarse		
Color	light grey		
rec.	20 000 RPM		
max.	20 000 RPM		

Ceramic Hi-shine Polisher for final shine.



<b>REF</b> reorder	7522-R	7517-R	7522-L
<b>ISO</b> 658 900 ...	372 513 220	372 513 170	303 513 220
Size Ø×L mm	22×3	17×3	22×3
Grit	fine		
Color	pale pink		
rec.	10 000 RPM		
max.	20 000 RPM		

Titanium polisher, eliminates scratches and smooths all titanium surfaces



<b>REF</b> reorder	9522-R	9517-R	9522-L
<b>ISO</b> 658 900 ...	372 533 220	372 533 170	303 533 220
Size Ø×L mm	22×3	17×3	22×3
Grit	coarse		
Color	oliv		
rec.	20 000 RPM		
max.	20 000 RPM		


Box of: 10, 100  
**N** Pressure: 0,3 - 2 N



LAB HIGH SHINE POLISHING PASTE

# KENDA 244 BLUE

Ideal for high shine polishing of flexible partials as well as full dentures. Also for composites, gold and chrome cobalt, in a stick with approx. 75 ml contents.

For best hi-shine finish use KENDA SLIMLINE brush made of goat hair bristles and micro fiber leather insole, diameter 48mm, unmounted.




<b>REF</b> reorder	244-BLUE	406
 Size	75 ml	48 x 5 mm
 Box of:	1, 3	6

LABEL

# EXPLAINING THE LABEL

The label that you can find on all of our products is designed according to latest standards and has a lot of information on it. It is readable for humans as well as for barcode scanners. The barcode is in the format of «HIBC Codablock F» which can hold a lot of information.



●	order number
●	LOT number
●	quantity and product name
●	application
●	max. RPM, security advices
●	HIBC logo to identify barcode
●	human readable barcode information
●	machine readable barcode
●	CE mark with notified body
●	information for sterilisation
●	expiration date

INSTRUCTIONS FOR USE AND HYGIENE INSTRUCTIONS

# INSTRUCTIONS FOR CLINICAL POLISHERS



These instructions are valid for all KENDA Dental Polishers that are used for restorative and preventive work.

Single-patient polishers are labelled with and must not be used more than once, as multi-use of these polishers can cause unnecessary risk to the patient and staff.

**Composition:** The polishers consist of synthetic/silicone rubber, pigments and abrasive. The shanks are made of stainless steel or medical plastic.

**Indication:** KENDA Dental Polishers are used for polishing different materials which are specified on the packaging label.

**Contraindications:** If a patient is known to be allergic to any of the above components, the polishers should not be used.

**Adverse effect:** None known to date.

**General security advices:**



**Precautions:**

- Products may only be used in the specified field of application.
- Check the safe connection of the polisher before using it and perform a test run.
- Use proper hand piece only and remove any damaged, bent, or no longer central running polishers immediately.
- Avoid excessive pressure which can cause tilting, bending or blocking of the polisher.
- Insufficient watercooling can result in irreversible damage to the tooth and the surrounding tissue.
- Using the wrong disinfectant and/or prolonged disinfection times can soak the polisher or cause discoloration. Therefore, make sure that the effectiveness of the disinfectant is approved and suitable for polishers, do not use disinfectants containing aldehydes and follow the manufacturer's specifications of the product with regard to the concentration and reaction time. Ensure that the process is effective.
- Always keep track of LOT numbers of polishers to ensure traceability.

**Storage:** A dry, dust-free storage at 2 - 28°C (36 - 82°F) is recommended. Improper storage conditions can shorten the shelf life and cause malfunction of the product.

**Hygiene instructions:** Please refer to back of this page for detailed hygiene instructions.

- alb version shqiptar [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- ara [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions) النسخة العربية
- bul българска версия [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- chi 日本語版 [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- cze Česká verze [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- dan danske version [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- dut Nederlandse versie [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- est Eesti versioon [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- fin Suomalainen versio [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- fre Version française [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- ger deutsche Version [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- gre Ελληνική έκδοση [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- heb גרסה עברית [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- hun magyar változat [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- ice Íslensk útgáfa [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- ind Bahasa Indonesia versi [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- ita Versione italiana [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- jpn 日本語版 [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- kor 한국어 버전 [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- lav Latviešu valodā [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- lit Lietuviška versija [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- mac македонска верзија [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- nor Norsk versjon [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- per [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions) نسخه فارسی
- pol Polska wersja [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- por Versão em português [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- rum Versiunea romana [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- rus Русская версия [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- slo slovenská verzia [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- slv slovenska različica [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- spa Versión en español [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- swe Svensk version [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- tur Türkçe versiyonu [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)
- ukr Українська версія [www.kenda-dental.com/instructions](http://www.kenda-dental.com/instructions)



QR-Code



These hygiene instructions are valid for all KENDA Dental Polishers for chairside use.

**WARNINGS:**

KENDA Polishers are supplied unsterile and therefore must be treated before use.

**Single patient polishers (labelled with ) are not eligible for reuse, but need to be disinfected and sterilised before and only use.**

During processing of all polishers, protective clothing, gloves and goggles must be worn at all times.

**Do not use bur bath.**

**Limitation of reprocessing:** The product's life is determined by the wear and tear of the polishing instrument. Repeated processing has minimal effect on these instruments.

**Point of use:** Remove surface contamination with a disposable cloth immediately after using on patient and put in a container.

**Containment and transportation:** Polishers should be transported immediately in a closed instrument tray to the treatment area. Proceed with cleaning and disinfection immediately.

**Cleaning and disinfection:** Proceed with either machine (recommended) or manual treatment.

a. Machine treatment:

1. Rinse thoroughly under running water.
2. Place polishers in the washer/disinfector (WD) and make sure they do not touch each other.
3. Add the appropriate cleaning agent (aldehyde-free), according to the information on the product label and the instructions of the WD-manufacturer.
4. Start the desired program: cleaning and disinfection.
5. After termination of the program, take the polishers out of the WD and dry them preferably with clean compressed air.
6. Visual inspection for cleanliness and integrity using a magnifying glass with 6 times magnification. In case of visual contamination, the process must be repeated.
7. If only mechanical cleaning (without proven disinfection) a final disinfection in a steam sterilizer (unpacked) in suitable racks or trays is required.
8. Documented approval of the proper treatment procedure in order to reuse or for storage.
9. A dry, dust-free storage at 2 - 28°C (36 - 82°F) is recommended.

b. Manual treatment:

1. Rinse thoroughly under running water. If necessary, use a nylon brush. NOTE: Use a suitable brush for cleaning blind holes.
2. Cleaning and chemical disinfection with a suitable solution (aldehyde-free) according to manufacturer's instruction. Insert polisher into the solution. Make sure that polishers are free of air bubbles.
3. The reaction time begins with the insertion of the last polisher and is according to the instruction of the disinfectant manufacturer.
4. After contact time is up, rinse polishers with plenty of deionized water.
5. Dry residual moisture preferably with clean compressed air.
6. Visual inspection for cleanliness and integrity using a magnifying glass with 6 times magnification. In case of visual contamination, the process must be repeated.
7. Without a proven disinfection, a final disinfection in a steam steriliser (unpacked) in suitable racks or trays is required.
8. Documented approval of the proper treatment procedure in order to reuse or for storage.
9. A dry, dust-free storage at 2 - 28°C (36 - 82°F) is recommended.

**Sterilisation:** Moist heat sterilisation with fractional prevacuum. Full cycle, 134°C (273°F) / 3,1 bar for at least 5 minutes, drying time 10 minutes. Do not exceed 135°C (275°F).

**IMPORTANT:** Use suitable packaging for sterilisation.  
Warning: KENDA Dental Polishers are not suitable for sterilisation with hot air or chemiclave.  
This procedure was validated by an independent and accredited laboratory.

**Additional information:** When sterilising multiple instruments in one autoclave cycle ensure that the steriliser's maximum load is not exceeded in accordance with the steriliser's instructions.

**Manufacturer contact:**

KENDA AG  
Kanalstrasse 18  
LI-9490 Vaduz, Liechtenstein

**Date of preparation:** 01/2012; Rev. 1

The instructions provided above have been validated by the medical device manufacturer as being capable of preparing KENDA Dental Polishers for reuse.

The material has been developed solely for use in dentistry. Processing should be carried out strictly according to the Hygiene Instructions. Liability cannot be accepted for damages resulting from failure to observe the instructions or the stipulated area of application. The user is responsible for testing the products for their suitability and use for any purpose not explicitly stated in the instructions. Descriptions and data constitute no warranty of attributes and are not binding.

**Keep out of reach of children.  
For use in dentistry only.  
Rx only.**



## WHY KENDA?

History	<ul style="list-style-type: none"> <li>• KENDA has developed and manufactured polishers for almost 35 years and is one of the market leaders regarding polishers</li> <li>• KENDA has introduced the first diamond polisher for chairside use as a global innovation in 1991</li> </ul>
Distribution network	<ul style="list-style-type: none"> <li>• Dealers and dentists in over 100 countries trust in KENDA polishers</li> </ul>
Research	<ul style="list-style-type: none"> <li>• Tests with different KENDA polishers at Swiss universities confirm excellent surface quality and supreme gloss.</li> </ul>
Certifications & Biocompatibility	<ul style="list-style-type: none"> <li>• KENDA polishers are manufactured according to the strict medical device directive 93/42 EEC and ISO 13485.</li> <li>• KENDA polishers have successfully been tested on their biocompatibility through an independent and certified laboratory</li> </ul>
Product portfolio	<ul style="list-style-type: none"> <li>• KENDA manufactures polishers with different elasticity – hard and flexible, as well as diamond and non diamond polishers.</li> <li>• KENDA offers multi-use autoclavable polishers as well as single-use disposable polishers.</li> <li>• Polishers with steel shanks are sterilizable in the autoclave at up to 135 °C and can be used multiple times.</li> <li>• Polishers with plastic shanks are single-use polishers.</li> <li>• KENDA offers polishers for all the different filling materials on the market: composites, ceramics, compomer, amalgam, metals.</li> <li>• All KENDA polishers are available in different shapes and different packaging. KENDA polishers are offered in packages of 6, 12, 25 and 100 pieces of the same shape and color. Introduction kits of the different polishing systems facilitate the choice for the dentist.</li> <li>• KENDA polishers do not need additional polishing paste.</li> <li>• KENDA polishers achieve fine surfaces which diminish the risk of color change and plaque production.</li> </ul>



## WHY KENDA?

Diamond Polishers	<ul style="list-style-type: none"> <li>• The integrated diamond particles are self-sharpening and allow quick and efficient polishing. Diamond polishers are especially appropriate for the work on hard composites as well as zirconia and ceramics and meet the highest expectations.</li> <li>• The different grit sizes of the diamond polishers are indicated by color coded rings on the shanks according to ISO 21671.</li> </ul>
Non-diamond polishers	<ul style="list-style-type: none"> <li>• The polishers for composites and compomers use aluminium oxide as abrasive, the polishers for metals and ceramic use silicone-carbide.</li> </ul>
1-step, 2-step and 3-step polishing systems	<ul style="list-style-type: none"> <li>• For the different polishing tasks there is a choice between a 1-step, a 2-step or a 3-step polishing system.</li> <li>• With the 1-step polishing system it is possible to smoothen and polish the restorations without changing the polisher. This saves time and costs.</li> <li>• The 2-step system includes the pre-polishing and the subsequent high-shine polishing. This system is recommendable for most polishing tasks.</li> <li>• The 3-step system covers the contouring, the smoothing as well as the high shine finish.</li> </ul>

**SYMBOLS**

# Signs at a glance

Pictographs will appear to indicate the specific use of the instrument.



Polisher for smoothing and finishing



Polisher for finishing and silky shine polishing



Hi-shine polisher for ultimate gloss



autoclavable with moist heat sterilisation



use waterspray for cooling



Order number



LOT number – for traceability of the respective production batch



Expiry date



Manufacturer



user instructions / refer to catalogue



Diamond particles as material of working part for efficient polishing



maximum speed in RPM. Do not exceed.



recommended speed in RPM for best polishing results.



Disposable. Use one time only.



packaging units in boxes



blister



CE-sign confirms conformity with Directive 93/42/EEC



color



storage temperature



keep away from sunlight



# KENDA®

## DENTAL POLISHERS

KENDA AG • Dental Manufacturing • Industriezone Neugut • Kanalstrasse 18 • LI-9490 Vaduz • Principality of Liechtenstein  
Phone +423 388 23 11 • Fax +423 388 23 19 • [info@kenda-dental.com](mailto:info@kenda-dental.com) • [www.kenda-dental.com](http://www.kenda-dental.com)



© All material herein is copyrighted by KENDA. Printing is permitted without editing. All editing is prohibited.  
Contact us for any questions regarding graphical material.