



W o r l d L e a d e r i n S p h e r i c a l A t t a c h m e n t s

# PRICE LIST

for Dentist and Dental Laboratories



[ 2013 ]

w w w . r h e i n 3 3 . c o m

1983 30 2013  
ANNIVERSARY

# Equator profile

## CASTABLE



Ref. 092ECQ

### OT EQUATOR CASTABLE

KIT CONTAINS:

- 2 SINGLE MALES
- 2 STAINLESS STEEL HOUSINGS
- 4 RETENTIVE CAPS  
( 2 soft, 2 standard)

## IMPLANTS



Ref. 130

### OT EQUATOR for IMPLANTS

KIT CONTAINS:

- 1 TITANIUM ABUTMENT
- 1 STAINLESS STEEL HOUSINGS
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS  
( 1 extra-soft, 1 soft, 1 standard, 1 strong)



Ref. 030

- 1 TITANIUM ABUTMENT

## BARS



Ref. 160EQB

### OT EQUATOR threaded sleeve system for bonding

KIT CONTAINS:

- 2 EQUATOR THREADED for titanium sleeve ( 1.6 mm thread )
- 2 THREADED SLEEVES ( 1.6 mm thread )
- 2 STAINLESS STEEL HOUSINGS
- 2 EQUATOR SPACERS
- 8 RETENTIVE CAPS  
( 2 extra-soft, 2 soft, 2 standard, 2 processing )



Ref. 039SFE2

- 1 THREADED EQUATOR ( direct into 2 mm thread )

## Passive bar connections system "ELASTIC SEEGER"



Ref. 158EQS

### ELASTIC SEEGER

KIT CONTAINS:

- 2 CASTABLE ABUTMENTS FOR SEEGER
- 3 RED PLASTIC SEEGER FOR LABORATORY
- 3 RETENTIVE ELASTIC FOR LOCKING THE ABUTMENTS
- 2 TOP LOCKING TITANIUM SCREWS

## SPARE PARTS:



Ref. 192ECE

## CAPS ASSORTMENT KIT

KIT CONTAINS:

- 1 STAINLESS STEEL HOUSINGS
- 1 PROCESSING CAP
- 1 PROTECTIVE DISK
- 4 RETENTIVE CAPS  
( 1 extra-soft, 1 soft, 1 standard, 1 strong)



Ref. 151SS

- 2 CASTABLE MALES



Ref. 140CEV

- 4 RETENTIVE CAPS - violet "STRONG" ( 2.7kg )



Ref. 140CET

- 4 RETENTIVE CAPS - white "STANDARD" ( 1.8kg )



Ref. 140CER

- 4 RETENTIVE CAPS - pink "SOFT" ( 1.2kg )



Ref. 140CEG

- 4 RETENTIVE CAPS - yellow "EXTRA-SOFT" ( 0.6kg )



Ref. 140CEN

- 4 PROCESSING CAPS - black for lab



Ref. 141CAE

- 2 STAINLESS STEEL HOUSINGS



Ref. 339SFE

- 1 EQUATOR THREADED 1.6mm ( for titanium sleeve )



Ref. 239GSF

- 1 TITANIUM SLEEVE ( 1.6mm thread )



Ref. 339SSE

- 1 EQUATOR SPACER



Ref. 158TT

- 1 TITANIUM LOCKING SCREW

## ACCESSORIES:



Ref. 144MTE

- 2 IMPRESSION COPING  
for individual tray



Ref. 144AE

- 2 LABORATORY ANALOG



Ref. 044CAIN

- 2 IMPRESSION COPINGS NORMAL SIZE - OT EQUATOR  
with interchangeable cap for pick up impression

## TOOLS:



Ref. 74AC01

- 1 PARALLELOMETER KEY "NORMAL"



Ref. 774CQ

- 1 OT-EQUATOR SQUARE SCREW DRIVER  
for implant abutment (square 1.25mm)



Ref. 760CE

- 1 SQUARE DRIVER CONNECTOR for torque  
controller contra angle (square 1.25mm)



Ref. 124ICP

- 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL  
(used together with metal insertors)



Ref. 185IAC

- 1 METAL INSERTION TOOL FOR CAPS  
( use together with 124ICP BLU HANDLE )



Ref. 185SIS

- 1 METAL INSERTION TOOL FOR SEEGER  
( use together with 124ICP BLU HANDLE )



Ref. 191ECS

- 1 METAL EXTRACTOR TOOL FOR CAPS  
( use together with 124ICP BLU HANDLE )

**NEW**

# OT UNILATERAL EXTRA CORONAL ATTACHMENTS WITH COMBINED FUNCTION



Ref. 098UNL

## OT UNILATERAL + CONNECTOR

KIT CONTAINS:

- 1 UNILATERAL CASTABLE ATTACHMENT
- 1 UNI-BOX CASTABLE
- 1 PLASTIC POSITIONER MICRO SIZE
- 1 PINK CAP MICRO SIZE
- 1 STRATEGY YELLOW CAP (for duplication technique)
- 1 BLACK CAP MICRO SIZE (for laboratory use only)
- 1 STRATEGY BLACK CAP (for laboratory use only)
- 1 CONNECTOR



Ref. 156BCU

- 1 UNILATERAL CASTABLE ATTACHMENT



Ref. 156CCU

- 1 UNI-BOX CASTABLE

**NEW**

# OT CAP IMPRESSION COPINGS NORMAL - MICRO



Ref. 044CAIN

- 2 IMPRESSION COPINGS NORMAL SIZE  
with interchangeable cap



Ref. 044CAIM

- 2 IMPRESSION COPINGS MICRO SIZE  
with interchangeable cap

# SINGLE THREADED SPHERES with THREADED SLEEVE TO BE GLUED NORMAL - MICRO



Ref. 139KSFN

**KIT SINGLE THREADED SPHERE NORMAL SIZE + TiN  
with sleeve to be BONDED**

KIT CONTAINS:

- 2 TITANIUM NORMAL SINGLE THREADED SPHERE  
(HEX mm. 1.3 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Normal sphere)



Ref. 139KSFM

**KIT SINGLE THREADED SPHERE MICRO SIZE + TiN  
with sleeve to be BONDED**

KIT CONTAINS:

- 2 TITANIUM MICRO SINGLE THREADED SPHERE  
(HEX mm. 0.9 THREAD mm. 1.6)
- 2 TITANIUM BOND-IN THREADED SLEEVE
- 2 S/STEEL SPACER for the THREADED SLEEVE (Micro sphere)

## SPARE PARTS:



Ref. 239SFN

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN  
for threaded sleeve  
HEX mm. 1.3 THREAD mm. 1.6



Ref. 239SFM

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN  
for threaded sleeve  
HEX mm. 0.9 THREAD mm. 1.6



Ref. 239GSF

- 1 TITANIUM BOND-IN THREADED SLEEVE  
for Normal and Micro - mm. 1.6



Ref. 239SSN

- 1 STAINLESS STEEL SPACER for THREADED SLEEVE  
(Normal sphere)



Ref. 239SSM

- 1 STAINLESS STEEL SPACER for THREADED SLEEVE  
(Micro sphere)

**NEW**

# SINGLE THREADED SPHERES

For Cad/Cam or Self Tapping 2.0mm Thread - Normal and Micro Size

Ref. 039SFN2

- 1 SINGLE THREADED SPHERE NORMAL SIZE + TiN  
HEX 1.3mm, THREAD 2.0mm

Ref. 039SFM2

- 1 SINGLE THREADED SPHERE MICRO SIZE + TiN  
HEX 0.9mm, THREAD 2.0mm

Ref. 760CBR

- HEX DRIVER FOR THREADED SPHERE NORMAL  
HEX 1.3mm

Ref. 772CSF

- HEX DRIVER FOR THREADED SPHERE MICRO  
HEX 0.9mm

## OT CAP & OT BOX - OT STRATEGY - OT BAR - OT VERTICAL ATTACHMENTS OT TECNO - TITANIUM SINGLE SPHERE

MASTER STARTER KIT FOR LABORATORY:



Ref. 005SKLUS

### KIT CONTAINS:

#### OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 4 castable spheres (normal and micro size)
- 2 titanium single spheres (normal and micro size) + sphere holder + 2 sliding base
- 4 castable OT CAP bars (normal and micro size)
- 2 complete castable OT CAP TECNO bars (normal and micro size)
- 4 castable OT BOX CLASSIC bars ( upper + lower part) normal and micro size
- 2 castable OT BOX SPECIAL bars ( normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 4 plastic positioner rings (normal and micro size)
- 4 OT CAP retentive caps (normal and micro size)  
WHITE- standard retention - PINK soft retention - YELLOW extra soft retention  
GREEN very elastic retention-
- 4 TITAN CAP titanium caps (normal and micro size)
- 4 BLACK CAPS- only for lab use - (normal and micro size)
- 8 S/STEEL housings
- 4 ANALOGUES for plaster models (normal and micro size)
- 4 protective disks
- 4 aluminium spacers (normal and micro size )

#### OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 6 retentive caps: 2 white - 2 pink - 2 yellow for housing
- 2 black caps for housing only for lab use
- 2 s/steel housings
- 2 plastic positioner rings
- 6 retentive caps for duplication technique:  
WHITE - standard retention - PINK soft retention - YELLOW extra soft retention
- 2 black caps for duplication technique only for lab use
- 2 ANALOGUES for plaster models

#### OT BAR MULTIUSE:

- 2 castable bar
- 1 gengival connector
- 2 positioner clip A
- 2 positioner clip B
- 4 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

#### OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

### TOOLS:

- 1 Pincers
- 2 Reamer tools for caps (normal and micro size)
- 1 Reamer tools for OT STRATEGY caps
- 2 Parallelometer keys for OT CAP (normal and micro size)
- 1 Parallelometer key for OT STRATEGY size
- 2 Parallelometer keys for OT CAP TECNO (normal and micro size)
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool  
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

# OT CAP & OT BOX - OT STRATEGY - OT BAR - OT VERTICAL ATTACHMENTS

## BASIC LABORATORY KIT:



Ref. 005SKLBUS

**NEW**

### KIT CONTAINS:

#### OT CAP - OT BOX SYSTEM:

- 16 castable assorted pivots (normal and micro size)
- 2 castable spheres normal
- 2 castable spheres micro
- 2 castable OT CAP bars (normal and micro size)
- 2 castable OT BOX CLASSIC bars (upper + lower part) normal and micro size
- 1 castable OT BOX SPECIAL bars (normal and micro size)
- 6 castable OT BOX connectors
- 4 castable OT BOX MONO housings (normal and micro size)
- 8 plastic positioner rings (normal and micro size)
- 28 OT CAP assorted retentive caps (normal and micro size)  
WHITE- standard retention - PINK soft retention - YELLOW extra soft retention  
GREEN very elastic retention
- 9 BLACK CAPS- only for lab use - (normal and micro size)
- 4 S/STEEL housings (normal and micro size)

#### OT STRATEGY:

- 4 castable spheres (2 standard and 2 high)
- 2 castable STEADY
- 8 retentive caps: 2 white - 2 pink - 2 yellow - 2 black for housing
- 2 s/steel housings
- 2 plastic positioner rings
- 6 retentive caps for duplication technique:  
WHITE - standard retention - PINK soft retention - YELLOW extra soft retention
- 2 black caps for duplication technique only for lab use

#### OT EQUATOR:

- 2 single males
- 2 stainless steel housings
- 4 retentive caps (2 soft, 2 standard)
- 2 processing black caps

#### OT UNILATERAL:

- 1 unilateral castable attachment
- 1 uni-box castable
- 1 plastic positioner micro size
- 2 ot cap micro size: 1 pink - 1 black processing cap
- 2 ot strategy (for duplication technique): 1 yellow - 1 black processing cap
- 1 connector

#### OT BAR MULTIUSE:

- 1 castable bar
- 1 gengival connector
- 4 positioner clip (A - B)
- 2 castable housings
- 4 clips - 2 PINK - soft retention - 2 YELLOW medium retention

#### OT VERTICAL:

- 2 castable male
- 2 castable STEADY
- 4 clips - 2 WHITE- standard retention - 2 GREEN soft retention
- 2 castable parallelometer keys
- 2 ceramic bars

#### TOOLS:

- 1 Pincers
- 1 Parallelometer keys for OT CAP normal
- 1 Parallelometer keys for OT CAP micro
- 1 Parallelometer key for OT STRATEGY size
- 1 Parallelometer key for OT BAR MULTIUSE
- 1 Blue Plastic "multiuse" insertion tool  
(for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 1 OT STRATEGY insertion tool
- 1 OT BAR clips insertion tool
- 1 OT VERTICAL clips insertion tool

## ATTACHMENTS OT CAP SYSTEM



Ref. 038STF  
NORMAL SIZE

### TITANIUM FLEX SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR BONDING

#### KIT CONTAINS:

- 2 SINGLE TITANIUM FLEX SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STN  
NORMAL SIZE

### TITANIUM SINGLE SPHERE NORMAL SIZE + TiN FOR LASER SOLDERING - FOR BONDING

#### KIT CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 038STM  
MICRO SIZE

### TITANIUM SINGLE SPHERE MICRO SIZE + TiN FOR LASER SOLDERING - FOR BONDING

#### KIT CONTAINS:

- 2 SINGLE TITANIUM SPHERES
- 2 PINK CAPS - SOFT RETENTION
- 1 SPHERE HOLDER
- 2 CASTABLE SLIDING BASES



Ref. 092CAN

### OT CAP NORMAL SIZE

#### KIT CONTAINS:

- 4 SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



Ref. 092CAM

### OT CAP MICRO SIZE

#### KIT CONTAINS:

- 4 SINGLE SPHERES
- 4 PINK RETENTIVE CAPS
- 4 STAINLESS STEEL HOUSINGS
- 4 PLASTIC POSITIONERS



Ref. 196BCN

### “ECONOMIC” OT CAP NORMAL SIZE

**KIT CONTAINS:**

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 WHITE RETENTIVE CAPS (Standard retention)



Ref 197BCM

### “ECONOMIC” OT CAP MICRO SIZE

**KIT CONTAINS:**

- 1 CASTABLE PRESECTIONED BAR
- 1 CASTABLE PRESECTIONED BEVELED BAR
- 4 WHITE RETENTIVE CAPS (Standard retention)



Ref. 099BSN

### OT CAP & Mono OT BOX FOR FRAME NORMAL SIZE

**KIT CONTAINS:**

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 WHITE RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 099BSM

### OT CAP & Mono OT BOX FOR FRAME MICRO SIZE

**KIT CONTAINS:**

- 2 CASTABLE PRESECTIONED BARS (1 straight + 1 beveled)
- 4 WHITE RETENTIVE CAPS
- 4 CASTABLE MONO OT BOX
- 4 PLASTIC POSITIONERS



Ref. 090TCN

### OT CAP TECNO - TITAN CAP NORMAL SIZE

**KIT CONTAINS:**

- 1 OT CAP TECNO PRESECTIONED BAR
- 2 CONCAVE TITANIUM SPHERES - TIN COATED
- 2 TITAN CAPS
- 1 INSERTING TOOL



Ref. 090TCM

### OT CAP TECNO - TITAN CAP MICRO SIZE

**KIT CONTAINS:**

- 1 OT CAP TECNO PRESECTIONED BAR
- 2 CONCAVE TITANIUM SPHERES - TIN COATED
- 2 TITAN CAPS
- 1 INSERTING TOOL



Ref. 058BSN

### OT BOX SPECIAL NORMAL SIZE + CONNECTORS

**KIT CONTAINS:**

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 058BSM

### OT BOX SPECIAL MICRO SIZE + CONNECTORS

**KIT CONTAINS:**

- 2 OT BOX SPECIAL BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCN

### OT BOX CLASSIC NORMAL SIZE + CONNECTORS

**KIT CONTAINS:**

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 153BCM

### OT BOX CLASSIC MICRO SIZE + CONNECTORS

**KIT CONTAINS:**

- 2 UPPER BARS
- 2 LOWER BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

# OT BOX LARGE

## OVERSIZED CASTABLE HOUSING FOR POSITIONING CAPS CHAIRSIDE



Ref. 253BLN

### OT BOX LARGE NORMAL & CONNECTORS

#### KIT CONTAINS:

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS



Ref. 253BLM

### OT BOX LARGE MICRO & CONNECTORS

#### KIT CONTAINS:

- 2 OT BOX LARGE BARS
- 4 PLASTIC POSITIONERS
- 4 CONNECTORS

# OT STRATEGY ATTACHMENTS



Ref. 098SSS

### OT STRATEGY

#### CAPS FOR DUPLICATION TECHNIQUE

##### KIT CONTAINS:

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 RETENTIVE CAPS FOR DUPLICATION TECHNIQUE



Ref. 098CAL

### OT STRATEGY

#### CAPS FOR STAINLESS STEEL HOUSING TECHNIQUE

##### KIT CONTAINS:

- 4 CASTABLE STRATEGY MALES (2 STANDARD - 2 HIGH)
- 2 CASTABLE STEADY
- 4 STAINLESS STEEL HOUSINGS
- 2 PLASTIC POSITIONERS
- 4 RETENTIVE CAPS FOR HOUSING TECHNIQUE

# OT BAR MULTIUSE ATTACHMENTS



Ref. 021OBM

### OT BAR MULTIUSE & CONNECTORS

#### KIT CONTAINS:

- 2 CASTABLE BARS
- 4 POSITIONER CLIP A
- 4 POSITIONER CLIP B
- 4 CASTABLE BOXES
- 4 RETENTIVE PINK CLIPS
- 4 RETENTIVE YELLOW CLIPS
- 2 CONNECTORS
- 1 GINGIVAL CONNECTOR

# OT VERTICAL ATTACHMENTS



Ref. 071OBV

### OT VERTICAL

#### KIT CONTAINS:

- 4 CASTABLE MALES
- 2 CASTABLE STEADY
- 4 RETENTIVE WHITE CLIPS
- 2 RETENTIVE GREEN CLIPS
- 4 CERAMIC BARS
- 4 CASTABLE PARALLELOMETER KEYS + PIN

# OT REVERSE 3

**EXTRA-CORONAL ATTACHMENTS: castable bars and retentive females in titanium + TiN to be bonded**



Ref. 095PCR

### OT REVERSE 3

#### KIT CONTAINS:

- 2 Castable bars
- 2 Retentive females in Titanium+TiN to be bonded
- 2 Retentive males attachment Titanium + nylon
- 2 Positioning rings for OT REVERSE 3
- 2 OT box mono



# OVERDENTURE ATTACHMENTS




## S.P.L. PIVOTS - COPING COVER PROMOTIONAL KIT FOR CLINIC

### KIT CONTAINS:

- 24 CASTABLE ASSORTED PIVOTS MICRO SIZE
- 40 CASTABLE ASSORTED PIVOTS NORMAL SIZE
- 12 TITANIUM MICRO PIVOTS (adapted for receiving COPING COVER)
- 12 TITANIUM NORMAL PIVOTS (adapted for receiving COPING COVER)
- 16 NORMAL CAPS (WHITE - standard retention - PINK soft retention)
- 16 MICRO CAPS (WHITE - standard retention - PINK soft retention)
- 20 PROTECTIVE DISKS
- 2 REGULATING TOOLS (1 normal and 1 micro size)
- 1 BLUE PLASTIC "MULTIUSE" INSERTION TOOL (for steel tool and for inserting the caps in the mouth)
- 1 OT CAP insertion tool
- 4 NORMAL STAINLESS STEEL HOUSING
- 4 MICRO STAINLESS STEEL HOUSING
- 12 DIRECTIONAL RINGS ( grey 0° - green 7° - red 14°)
- 1 PINCERS

Ref. 011SPL



Ref. 033PSF

### PIVOT FLEX TiN COATED

TITANIUM PIVOT WITH SWIVEL SPHERE - Normal size  
Adapted for COPING COVER

### KIT CONTAINS:

- 1 TITANIUM PIVOT WITH SWIVEL SPHERE (adapted for COPING COVER)
- 1 STAINLESS STEEL HOUSING
- 2 PINK CAPS Normal Size - Soft retention
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS

Available for lengths  
Normal sphere ø 2,5  
Micro sphere ø 1,8



Ref. 036PTN

### TITANIUM PIVOTS KIT NORMAL SIZE

Adapted for COPING COVER

### KIT CONTAINS:

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

Ref. 036PTM

### TITANIUM PIVOTS KIT MICRO SIZE

Adapted for COPING COVER

### KIT CONTAINS:

- 5 TITANIUM PIVOTS (Adapted for COPING COVER)

## OT REVERSE 3

OVERDENTURE POSTS: for roots, available in one standard size

STANDARD LENGTH



Ref. 034PRK

### KIT CONTAINS:

- 2 Root posts in Titanium + TiN
- 2 Retentive male attachment Titanium + nylon
- 2 Plastic manual tools
- 2 Stainless steel housings
- 2 Pink protective disks



Ref. 037CCL

### COPING COVER FOR OVERCASTING

### KIT CONTAINS:

- 1 ASSEMBLING RING FOR PIVOTS
- 2 SPRINGS



Sizes available:  
mm. 7 - 9 - 10 - 12 - 14

Ref. 010PSP

### CASTABLE PIVOTS FOR CANAL IMPRESSIONS

### KIT CONTAINS:

- 20 CASTABLE PIVOTS NORMAL SIZE



Sizes available:  
mm. 7 - 9 - 10

Ref. 012PSM

### CASTABLE PIVOTS FOR CANAL IMPRESSIONS

### KIT CONTAINS:

- 20 CASTABLE PIVOTS MICRO SIZE



Ref. A01MOG

### MOOSER BUR

FOR PIVOTS OF 7 - 9 - 10mm.



Ref. A03MOB

### MOOSER BUR

FOR PIVOTS OF 12 - 14mm.



Ref. 121FD

### OT REVERSE 3 DIAMOND SHAPING BUR FOR ROOTS

# IMPLANTOLOGY TITANIUM ATTACHMENTS FOR OVERDENTURE SPHERO FLEX - BLOCK SYSTEM:



## SPHERO FLEX WITH TiN COATED

Ref. 109

### KIT CONTAINS:

- 1 TITANIUM ABUTMENT WITH SWIVEL SPHERE (SPHERE Ø 2.5 mm.)
- 2 PINK CAPS (Soft retention)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



## SPHERO BLOCK NORMO WITH TiN COATED

Ref. 002

### KIT CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 2.5)
- 2 PINK CAPS (Soft retention)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS



## SPHERO BLOCK MICRO WITH TiN COATED

Ref. 003

### KIT CONTAINS:

- 1 TITANIUM ABUTMENT (SPHERE Ø mm. 1.8)
- 2 PINK CAPS (Soft retention)
- 1 STAINLESS STEEL HOUSING
- 1 PROTECTIVE DISK
- 3 DIRECTIONAL RINGS




## OT REVERSE 3 WITH TiN COATED

Ref. 120

### KIT CONTAINS:

- 1 OT REVERSE 3 (titanium+TiN) implant abutment
- 1 RETENTIVE MALE ATTACHMENT (titanium + nylon)
- 1 STAINLESS STEEL HOUSING
- 1 PINK PROTECTIVE DISK

The SPHERO FLEX, SPHERO BLOCK and OT REVERSE attachments are available for the major implant brands. Upon request we can customize them for any kind of implants. When ordering, please always indicate: implant brand, implant diameter and cuff height. FOR SPHERO FLEX ABUTMENT CUFF AVAILABLE FROM 1 TO 7 MM.



## AUXILIARY TOOLS: SPHERO FLEX - BLOCK; OT REVERSE 3



Ref. 771CEF

KEY FOR SPHERO FLEX AND SPHERO BLOCK (Normal - Micro size)  
HEX mm. 2.3



Ref. 760CBM

HEX SCREWDRIVER FOR TORQUE CONTROLLER  
CONTRA ANGLE



Ref. 773CAR

SCREWDRIVER FOR OT REVERSE 3

## ANTI-UNSCREWING SYSTEM WITH AN ELASTIC DOWEL APPLICABLE TO

SPHERO FLEX-BLOCK - OT REVERSE AND DIFFERENT SCREWS. THE ELASTIC DOWEL IS APPLICABLE ONLY UPON REQUEST TO ALL SCREWS WITH A NOT INFERIOR M. 1.8 to screws - Sphero Flex - Sphero Block - OT Reverse attachments, etc.

Ref. TE

Extra charge for applying the dowel



ELASTIC DOWEL

## AUXILIARY TOOLS SPHERO FLEX - BLOCK



Ref. 100AD

### DIRECTIONAL RINGS FOR SPHERO FLEX AND BLOCK KIT CONTAINS:

- 3 COLOURED RINGS WITH INCLINATION OF 0° - 7° - 14°



Ref. 044ABN

### SPHERO FLEX - BLOCK NORMO ANALOG KIT CONTAINS:

- 1 SPHERO BLOCK-FLEX NORMO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK NORMO CAP FOR LABORATORY USE



Ref. 044ABM

### SPHERO BLOCK MICRO ANALOG KIT CONTAINS:

- 1 SPHERO BLOCK-MICRO ANALOG
- 3 DIRECTIONAL RINGS (0° - 7° - 14°)
- 1 BLACK MICRO CAP FOR LABORATORY USE


## CUFF HEIGHT MEASURER

This tool is used to determine the cuff height of implants with internal or external hexagon.

**NEW**



Ref. 008MBG



### KIT CONTAINS:

- 1 CUFF HEIGHT SLIDER GAUGE
- 1 CUFF HEIGHT FIXED ROD GAUGE
- 1 SILICON RING DISPENSER
- 20 SILICON RINGS

## OT LOCK LOCKING PIN TITANIUM AND CASTABLE

### OT LOCK KIT TITANIUM



Ref. 880CLT

### KIT CONTAINS:

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN

### OT LOCK KIT TITANIUM ADJUSTABLE



Ref. 880CLR

### KIT CONTAINS:

- 1 LOCKING PIN SET
- 1 HOUSING SHAPER
- 1 CERAMIC PIN
- 9 CASTABLE SPACER RINGS

## OT LOCK ACCESSORIES



Ref. 882CG

- 1 CONICAL GUIDE



Ref. 882CAS

- 1 UNLOCKING TOOL

# SPARE PARTS: OT CAP SYSTEM

## NORMAL Ø 2.5 mm:



Ref. 055SCN

• 4 CASTABLE SINGLE SPHERES NORMAL SIZE



Ref. 151BAN

• 2 CASTABLE PRESECTIONED BEVELED BARS NORMAL SIZE



Ref. 150BPN

• 2 CASTABLE PRESECTIONED BARS NORMAL SIZE



Ref. 048CAN

• 6 SILVER CAPS NORMAL SIZE (EXTRA-RESILIENT) ELASTIC AND GUMMY



Ref. 048CON

• 6 GOLD CAPS NORMAL SIZE (EXTRA-RESILIENT) SLIGHTLY ELASTIC



Ref. 049PCN

• 6 GREEN CAPS NORMAL SIZE (VERY ELASTIC RETENTION)



Ref. 060CRN AY

• 6 YELLOW CAPS NORMAL SIZE (EXTRA SOFT RETENTION)



Ref. 040CRN SN

• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION)



Ref. 040CRN

• 6 WHITE CAPS NORMAL SIZE (STANDARD RETENTION)



Ref. 040TCN

• 2 TITAN CAPS NORMAL SIZE



Ref. 043CLN

• 6 BLACK CAPS NORMAL SIZE  
(ONLY FOR LABORATORY USE)



Ref. 040CRNDR8

• 6 LIGHT GREEN CAPS NORMAL SIZE (STRONG RETENTION)  
(undersized internal diameter for worn out sphere or for Ø 2.2 SPHERE)



Ref. 040CRNSNDR8

• 6 PINK CAPS NORMAL SIZE (SOFT RETENTION)  
(undersized internal diameter for worn out sphere or for Ø 2.2 SPHERE)



Ref. 049PCNDR8

• 6 ORANGE CAPS NORMAL SIZE (VERY ELASTIC RETENTION)  
(undersized internal diameter for worn out sphere or for Ø 2.2 SPHERE)



Ref. 042AMN

• 2 MONO OT BOX NORMAL SIZE  
(CASTABLE HOUSINGS FOR CAPS)



Ref. 041CAN

• 2 STAINLESS STEEL HOUSINGS NORMAL SIZE



Ref. 041CTN

• 2 TITANIUM HOUSINGS NORMAL SIZE




Ref. 101PPN

• 2 PLASTIC POSITIONER NORMAL SIZE



Ref. 044PPN

• 2 NORMAL TRANSFER PIVOTS



Ref. 100SAN

• 10 ALUMINIUM SPACERS FOR OT BOX BARS NORMAL SIZE

## MICRO Ø 1.8 mm:



Ref. 055SCM

• 4 CASTABLE SPHERES MICRO SIZE

Ref. 151BAM

• 2 CASTABLE PRESECTIONED BEVELED BARS MICRO SIZE

Ref. 150BPM

• 2 CASTABLE PRESECTIONED BARS MICRO SIZE

Ref. 048CAM

• 6 SILVER CAPS MICRO SIZE (EXTRA-RESILIENT) ELASTIC AND GUMMY

Ref. 048COM

• 6 GOLD CAPS MICRO SIZE (EXTRA-RESILIENT) SLIGHTLY ELASTIC

Ref. 049PCM

• 6 GREEN CAPS MICRO SIZE (VERY ELASTIC RETENTION)

Ref. 060CRM AY

• 6 YELLOW CAPS MICRO SIZE (EXTRA SOFT RETENTION)

Ref. 040CRM SN

• 6 PINK CAPS MICRO SIZE (SOFT RETENTION)

Ref. 040CRM

• 6 WHITE CAPS MICRO SIZE (STANDARD RETENTION)

Ref. 040TCM

• 2 TITAN CAPS MICRO SIZE

Ref. 043CLM

• 6 BLACK CAPS MICRO SIZE  
(ONLY FOR LABORATORY USE)

Ref. 040CRMDR8

• 6 LIGHT GREEN CAPS MICRO SIZE (STRONG RETENTION)  
(UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE)

Ref. 049PCMDR8

• 6 ORANGE CAPS MICRO SIZE (VERY ELASTIC RETENTION)  
(UNDERSIZED INTERNAL DIAMETER FOR WORN OUT SPHERE)



Ref. 042AMM

• 2 MONO OT BOX MICRO SIZE  
(CASTABLE HOUSINGS FOR CAPS)

Ref. 041CAM

• 2 STAINLESS STEEL HOUSINGS MICRO SIZE

Ref. 041CTM

• 2 TITANIUM HOUSINGS MICRO SIZE

Ref. 101PPM

• 2 PLASTIC POSITIONER MICRO SIZE

Ref. 044PPM

• 2 MICRO TRANSFER PIVOTS

Ref. 100SAM

• 10 ALUMINIUM SPACERS FOR OT BOX BARS MICRO SIZE

## NORMO-MICRO TOOLS:



Ref. 085IAC

• INSERTION TOOL FOR CAPS - NORMAL AND MICRO SIZES  
(for metal housing and for inserting the caps in the mouth)



Ref. 74AC01

• KEY FOR PARALLELOMETER NORMAL SIZE



Ref. 74AC02

• KEY FOR PARALLELOMETER MICRO SIZE



Ref. 74GTN

• TECNO KEY FOR PARALLELOMETER NORMAL SIZE  
only for OT CAP TECNO (Gold Color)



Ref. 74GTM

• TECNO KEY FOR PARALLELOMETER MICRO SIZE  
only for OT CAP TECNO (Gold Color)



Ref. 091EC

• REMOVAL TOOL FOR RETENTIVE CAPS



Ref. 124ICP

• BLUE PLASTIC "MULTIUSE" INSERTION TOOL  
(for steel tool and for inserting the caps in the mouth)

**NEW**

## NORMAL-MICRO TOOLS continued:



Ref. 080RCN

- REAMER TOOL FOR OT CAPS - NORMAL SIZE



Ref. 080RCM

- REAMER TOOL FOR OT CAPS - MICRO SIZE



Ref. 082ATN

- TOOL FOR TESTING CAP RETENTION  
NORMAL SIZE



Ref. 083ATM

- TOOL FOR TESTING CAP RETENTION  
MICRO SIZE

## NORMAL - MICRO ACCESSORIES AND 2.2mm:



Ref. 155CC

- 6 CONNECTORS



Ref. 187CRS

- 2 CONCAVE SPHERES  
AVAILABLE: 1.8 - 2.2 - 2.5mm



Ref. 189SRS

- 2 SOLID SPHERES  
AVAILABLE: mm. 1,8



Ref. 100PD

- 10 PROTECTIVE DISKS



Ref. 038GCS

- 2 CASTABLE SLIDING BASES



Ref. 044PP22

- 2 MICRO TRANSFER PIVOTS 2.2 mm

## OT CAP ASSORTMENT KIT & CAP BOOKLET

### KIT NORMAL

Ref. 074KAN

### KIT MICRO

Ref. 074KAM



### KIT CONTAINS:

- 8 WHITE CAPS - STANDARD RETENTION
- 8 PINK CAPS - SOFT RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC
- 6 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY
- 4 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
- 4 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
- 4 BLACK CAPS - LABORATORY USE ONLY
- 2 TITAN CAPS

## ASSORTMENT KIT NORMAL & MICRO

### KIT CONTAINS:

- 4+4 WHITE CAPS - STANDARD RETENTION
- 4+4 PINK CAPS - SOFT RETENTION
- 2+2 YELLOW CAPS - EXTRA SOFT RETENTION
- 3+3 GREEN CAPS - VERY ELASTIC RETENTION
- 3+3 GOLD CAPS - (EXTRA RESILIENT) SLIGHTLY ELASTIC
- 3+3 SILVER CAPS - (EXTRA RESILIENT) ELASTIC AND GUMMY
- 2+2 LIGHT GREEN CAPS - STANDARD (FOR WORN OUT SPHERE)
- 2+2 ORANGE CAPS - ELASTIC (FOR WORN OUT SPHERE)
- 2+2 BLACK CAPS - LABORATORY USE ONLY
- 1+1 TITAN CAPS

Ref. 074KNM



## OT CAP ASSORTED RETENTIVE CAPS

### NORMAL KIT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 WHITE CAPS - STANDARD RETENTION

## OT CAP ASSORTED RETENTIVE CAPS

### MICRO KIT

- 6 GREEN CAPS - VERY ELASTIC RETENTION
- 6 YELLOW CAPS - EXTRA SOFT RETENTION
- 6 PINK CAPS - SOFT RETENTION
- 6 WHITE CAPS - STANDARD RETENTION

Ref. 064ACN  
NORMAL SIZE

Ref. 064ACM  
MICRO SIZE



# SPARE PARTS: OT STRATEGY



Ref. 154PCS

• 4 OT STRATEGY STANDARD MALES



Ref. 054PLS

• 4 OT STRATEGY HIGH MALES



Ref. 154STY

• 2 CASTABLE STEADY



Ref. 047CSD AY

• 4 STRATEGY YELLOW CAPS FOR DUPLICATION TECHNIQUE  
(EXTRA SOFT RETENTION)



Ref. 047CSD SN

• 4 STRATEGY PINK CAPS FOR DUPLICATION TECHNIQUE  
(SOFT RETENTION)



Ref. 047CSD

• 4 STRATEGY WHITE CAPS FOR DUPLICATION TECHNIQUE  
(STANDARD RETENTION)



Ref. 047CLS

• 4 STRATEGY BLACK CAPS FOR DUPLICATION TECHNIQUE  
**(FOR LABORATORY USE ONLY)**



Ref. 047CSDDR8

• 4 AQUA STRATEGY CAPS FOR DUPLICATION TECHNIQUE  
*(undersized internal diameter for worn sphere or 1.7mm sphere)*



Ref. 045CSM AY

• 4 STRATEGY YELLOW CAPS FOR S/STEEL HOUSING  
(EXTRA SOFT RETENTION)  
(TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM SN

• 4 STRATEGY PINK CAPS FOR S/STEEL HOUSING  
(SOFT RETENTION)  
(TO BE USED ONLY WITH HOUSINGS)



Ref. 045CSM

• 4 STRATEGY WHITE CAPS FOR S/STEEL HOUSING  
(STANDARD RETENTION)  
(TO BE USED ONLY WITH HOUSINGS)



Ref. 045CLS

• 4 STRATEGY BLACK CAPS FOR S/STEEL HOUSING  
**(FOR LABORATORY USE ONLY)**



Ref. 045CSMDR8

• 4 AQUA STRATEGY CAPS FOR S/STEEL HOUSING  
*(undersized internal diameter for worn sphere or 1.7mm sphere)*



Ref. 046CSM

• 2 STRATEGY STAINLESS STEEL HOUSINGS



Ref. 101OTS

• 2 STRATEGY PLASTIC POSITIONER  
(For soldering stainless steel housings)



## OT STRATEGY ASSORTMENT CAP KIT FOR DUPLICATION TECHNIQUE

Ref. 047ACS

### KIT CONTAINS:

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 WHITE CAPS - STANDARD RETENTION



## OT STRATEGY ASSORTMENT CAP KIT FOR S/STEEL HOUSINGS

Ref. 045ACS

### KIT CONTAINS:

- 4 YELLOW CAPS - EXTRA SOFT RETENTION
- 4 PINK CAPS - SOFT RETENTION
- 4 WHITE CAPS - STANDARD RETENTION



Ref. 044PPS

• 2 STRATEGY TRANSFER PIVOTS



Ref. 086ICS

• INSERTION TOOL FOR STRATEGY CAPS



Ref. 75AC04

• PARALLELOMETER KEY FOR STRATEGY CAPS



Ref. 081RCS

• REAMER TOOL FOR STRATEGY CAPS

## SPARE PARTS: OT BAR MULTIUSE



Ref. 022OBB	• 2 CASTABLE BARS OT BAR MULTIUSE
Ref. 025CPB	• 4 CASTABLE BOXES OT BAR MULTIUSE
Ref. 023CPA	• 4 POSITIONER CLIPS A
Ref. 024CPB	• 4 POSITIONER CLIPS B
Ref. 026CRR	• 4 PINK CLIPS (SOFT RETENTION)
Ref. 027CRG	• 4 YELLOW CLIPS (MEDIUM RETENTION)
Ref. 022RGO	• 2 CASTABLE CONNECTORS
Ref. 029OIC	• TOOL FOR INSERTING OT BAR MULTIUSE CLIPS
Ref. 028OCP	• PARALLELOMETER KEY FOR OT BAR MULTIUSE

## SPARE PARTS: OT VERTICAL



Ref. 072MCV	• 2 CASTABLE MALES • 2 PIN KEYS
Ref. 072SCV	• 2 CASTABLE STEADY
Ref. 072BCV	• 2 CERAMIC BARS
Ref. 072CBV	• 4 WHITE CLIPS (STANDARD RETENTION)
Ref. 072CVV	• 4 GREEN CLIPS (SOFT RETENTION)
Ref. 072ICV	• 1 INSERTION TOOL FOR OT VERTICAL CLIPS

## SPARE PARTS: OT REVERSE 3



Ref. 120MR2	• 2 RETENTIVE MALES in TITANIUM + NYLON (Color WHITE/ STANDARD RETENTION)
Ref. 041CAM A	• 2 S/STEEL HOUSINGS MICRO SIZE
Ref. 121AOR	• 2 BRASS ANALOGS FOR ROOTS
Ref. 121AAR	• 2 INOX IMPLANT ANALOGS
Ref. 121MT	• 2 PLASTIC TRANSFER ANALOGS FOR IMPRESSION





Ref. 121AM

- 2 PLASTIC MANUAL TOOLS

Ref. 100PDR

- 10 PINK PROTECTIVE DISKS

Ref. 121PR

- 2 PLASTIC POSITIONERS FOR DUPLICATION

Ref. 124ICP

- PLASTIC BLUE INSERTING/HOLDER TOOL for caps

Ref. 124IMR

- METAL INSERTING TOOL FOR OT REVERSE/3 MALE

Ref. 72CBR

- S/STEEL PARALLELOMETER KEY FOR CASTABLE BAR

Ref. 72CFR

- BRASS PARALLELOMETER KEY FOR TITANIUM FEMALE

## SPARE PARTS: OT LOCK



Ref. 882CS

- 1 SLIDING KEY  
(only for titanium - castable locking pin)

Ref. 882AF

- 1 FLEXIBLE RING

Ref. 882CB

- 1 LOCKING KEY

Ref. 882CPT

- 1 TITANIUM PREFABRICATED HOUSING  
(only for titanium - titanium adjustable locking pin)

Ref. 882PPC

- 1 CERAMIC PIN

Ref. 882CLSCT

- 1 ADJUSTABLE SLIDING KEY  
(only for titanium adjustable locking pin)

Ref. 882DCC

- 9 CASTABLE SPACER RINGS  
(only for titanium adjustable locking pin)

## SPHERE REPAIR KITS:



AVAILABLE  
1.8 - 2.2 - 2.5

Ref. 087CRS

### CONCAVE REPAIR SPHERE

#### KIT CONTAINS:

- 2 CONCAVE SPHERES IN TITANIUM - TIN COATED
- 2 PINK CAPS SOFT RETENTION
- 1 INSERTING TOOL
- 1 GAUGE AND STRIP HOLDER



Ref. 089SRS

### SOLID REPAIR SPHERE

#### KIT CONTAINS:

- 2 SOLID SPHERES 1.8mm IN TITANIUM - TiN COATED
- 2 PINK CAPS SOFT RETENTION
- 2 PROTECTIVE DISKS
- 1 KEY

## TITANIUM ATTACHMENTS FOR OVERDENTURE OT REVERSE SYSTEM - OT KLAAS:

OT REVERSE SPARE PARTS AND OT KLAAS ARE IN STOCK  
FOR DETAILED INFORMATION PLEASE E-MAIL US OR CALL OUR OFFICES

## COMPLIMENTARY ITEMS



Ref. 00PB

- SMALL PARALLELOMETER DEVICE WITH MODEL HOLDER BASE (FOR COURSES, ETC.)

Ref. 100AS

- 30 SILICON RINGS



Ref. NC

- Rhein'83 2 PART METAL BONDING COMPOSITE MATERIAL

## ADJUSTABLE DENTURE BOXES

IT IS POSSIBLE TO SET UP SIX DIFFERENT INTERIOR SIZES



Ref. 0P6

- KIT CONTAINS:**
- 6 ASSORTED BOXES
  - COLOURS: BLUE - LIGHT BLUE - WHITE



## BROKEN SCREW EXTRACTOR KIT

BROKEN SCREW EXTRACTOR KITS ARE MANUFACTURED FOR MOST IMPLANT BRANDS.



**KIT CONTAINS:**

- 1 CLAW REAMER BUR
- 1 REVERSE CUTTING BUR
- 1 MANUAL EXTRACTOR
- 1 CENTERING DEVICE
- 1 EXTENSION FOR BUR

**Ref. 780E**  
FOR CORE VENT AND  
COMPATIBLE

**Ref. 781E**  
FOR BRANEMARK AND  
COMPATIBLE

**Ref. 780**

- 1 REVERSE CUTTING BUR

**Ref. 780FL**

- 1 CLAW REAMER BUR

# **RHEIN'83 DIRECT SERVICES**

## *Rhein'83 Direct Services*

*A telephone service is available during office hours,  
it furnishes direct answers for technical problems.  
You can address to Rhein'83 for knowing the address of foreign distributors.*

**Rhein'83 INTERNET: [www.rhein83.com](http://www.rhein83.com)**

**E-mail: [info@rhein83.com](mailto:info@rhein83.com)**

**Sales Dep.: [angela.internationaltrade@rhein83.it](mailto:angela.internationaltrade@rhein83.it)**

**Technical support: [gianni.storni@rhein83.it](mailto:gianni.storni@rhein83.it)**

RHEIN83<sup>®</sup> Srl

Via E. Zago, 10  
40128 (Bologna) Italy  
Tel. (+39) 051 244510 - (+39) 051 244396  
Fax (+39) 051 245238  
Numero Verde 800-901172

<http://www.rhein83.com>  
e-mail: [info@rhein83.com](mailto:info@rhein83.com)



DISTRIBUTOR

CE 0476